

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

INFRASTRUCTURE DETAILS

Sr. No.	Particulars to be verified	Details on College Website	Adequate/ Inadequate
College			
1	Land details: Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	✓ Yes/No	Adequate
2	Total constructed area of college building		
	(I) Administrative Section: Total Area.....sq.ft (which includes) Principal Room, P.A. Room, Reception cue Visitors lounge, Meeting hall, Account section, Record and Central store etc.	✓ Yes/No	Adequate
	(II) Lecture Halls: a) Total No. of Lecture Halls . 04 . . b) IT enabled, Audio / Video teaching Aids . 960 c) Total area for lecture Halls . $1085 \times 4 = 4340$	✓ Yes/No	Adequate
	(III) Seminar or Conference or Examination Hall: a) Total Area 300 .sq.ft. b) Total Seating Capacity . 400 c) Audio / Video System and Other Facilities	✓ Yes/No	Adequate
	(IV) Central Library: a) Total Area 2635 . sq.ft. Total No. of Books . 3300 Distribution of books Capacity of Reading Hall 1000 for Students . 600 . for Teachers . 400 No. of Scientific Journals . 10 . No. of News Papers . 10 Photo Copier Machine . 2 . . . Drinking water & Washrooms . . b) Digital Library : No. of Computers . 15 . Internet Facility . Yes	✓ Yes/No	Adequate
	(V) Teaching Departments: There shall be Five Teaching Departments as per MSR No. of departments . . 05 Departmental Area, No. of Books/ Charts / Models / Spacimens (dry and wet) / Museum in each department information to be uploaded on college website.	✓ Yes/No	Adequate
	(VI) Laboratories : Laboratories : As per MSR (67.58 Sq.ft.) Nursing Foundation and Medical Surgical Nursing Lab (1500 Sq.ft.), 1519 CHN (900 Sq.ft.), Nutrition (900Sq.ft.), 930 OBG and Paediatric (900Sq.ft.), 930 Pre-Clinical Science (900Sq.ft.), 930 Advanced Nursing Skill Lab (900Sq.ft.), - 1519 Computer Lab (1500Sq.ft.), with 10 computer as per Intake capacity, AV Aids (600Sq.ft.), well Equipped Lab must have Mannequins, Articles & Beds as per MSR & INC Norms	✓ Yes/No	Adequate
	(VII) Auditorium:- (As per MSR) Auditorium should be spacious enough to accommodate at least double the sanctioned/actual strength of students, so that it can be utilized for hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well - ventilated and have proper lighting system. There should be arrangements for	✓ Yes/No	Adequate