

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

INFRASTRUCTURE DETAILS

This Annexure to be verify at time of inspection by assessors

ALL SUPPORTING DOCUMENT POINT WISE IN CLEAR VISBLE MUST BE UPLOAD ON WEB SITE

Sr. No.	Particulars to be verified	Details on College Website	Adequate/ Inadequate
	College		
1	(All document must be available on web site) Land details: Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes/No	Adequate
2	Total constructed area of college building Attached Completion Certificate with Map		
	(I) Administrative Section: Total Area.....sq.ft (which includes) Principal Room, P.A. Room, Reception cum Visitors lounge, Meeting hall, Account section, Record and Central store etc.	Yes/No	Adequate
	(II) Lecture Halls: a) Total No. of Lecture Halls . 04 . b) IT enabled, Audio / Video teaching Aids 960 c) Total area for lecture Halls . 1085 x 4 = 4340	Yes/No	Adequate
	(III) Seminar or Conference or Examination Hall for nursing : a) Total Area . 2635 .Sq.ft. b) Total Seating Capacity c) Audio / Video System and Other Facilities	Yes/No	Adequate
	(IV) Library:- (Evidences to be attached) a) Total Area 2635 sq.ft. Total No. of Books Distribution of books Capacity of Reading Hall :-for Students for Teachers No. of Scientific JournalsNo. of News Papers/Research Journals Photo Copier Machine . 01 Drinking water & Washrooms b) Digital Library : No. of Computers . . 15 Internet Facility . Yes . Speed:-	Yes/No	Adequate
	(V) Teaching Departments: There shall be Five Teaching Departments as per MSR No. of departmentsDepartmental Area, No. of Books/ Charts / Models / Specimens (dry and wet) / Museum in each department information to be uploaded on college website.	Yes/No	Adequate
	(VI) Laboratories :- Laboratories : As per MSR (.....67582).....Sq.ft.) Nursing Foundation and Medical Surgical Nursing Lab (1500 Sq.ft.), 1591 CHN (900 Sq.ft.), Nutrition (900Sq.ft.), 930 OBG and Paediatric 930 (900Sq.ft.), Pre-Clinical 930 Science (900Sq.ft.), Advanced Nursing Skill Lab (900Sq.ft.), 1591 Computer Lab (1500Sq.ft.), with 1:5 computer as per Intake capacity, AV Aids, well Equipped Lab must have Mannequins, Articles & Beds as per MSR & INC Norms	Yes/No	Adequate

Chairman of LIC

Member Of LIC

Member Of LIC

<p>(VII) Auditorium:- (As per MSR) Auditorium should be spacious enough to accommodate at least double the sanctioned/actual strength of students, so that it can be utilized for hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.</p> <p style="text-align: center;">OR</p> <p>Multipurpose Hall:- College of Nursing should have own multipurpose hall</p>	Yes/No	Adequate
--	--------	----------

<p>(VIII) Canteen and Kitchen Facility:- attached certificate [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]</p>	Yes/No	
<p>(IX) Common Rooms: Is separate common rooms for boys and girls available (Specify seating capacity)</p>	Yes/No	Adequate
<p>3 University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for vehicle, Guest house facility</p>	-	-
<p>4 Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility</p>	Yes/No	Adequate
<p>5 Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.</p>	Yes/No	Adequate

Hospital attach Relevant Document on web site

6	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : udgugiri multihospital. udgir	Yes/No	Adequate
	Address: Shelhal Road udgir		
	Telephone No. : 02385 - 252110		
	Bed Strength : 70+30 = 100		
	Distance of Hospital from the College to which it is attached (in kms)	-	
	Number of beds registered as per BNH Act (attach certificate on web site)	Yes/No	
7	I. Total constructed area of Hospital Building as per MSR attach completion certificate and blue print (.....Sq.mtr. / Sq.ft.) Whether the Hospital is Owned by the College	Yes/No	Adequate
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes/No	Adequate
	III. Out-Patient Departments (OPD) as per MSR Total Area of OPD ComplexSq.ft. No. of OPD's	Yes/No	Adequate
	Facilities shall be as per MSR & all details shall be on college website.		
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD ComplexSq.ft. No. of IPD Departments..... Bed Distribution.....	Yes/No	Adequate
	Facilities shall be as per MSR & all details shall be on College website.		
	V. Operation Theatres Block as per MSR Total Area of OT Blocksq.ft. No. Of OTs available	Yes/No	Adequate
	Facilities shall be as per MSR & all details shall be on college website.		
	VI. Casualty Facilities State Government Permission Letter attach copy on web site	Yes/No	Adequate

Chairman of LIC

Member Of LIC

Member Of LIC

VII. Central Clinical Laboratory details (all relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be provided.	Yes/No	Adequate
VIII. Radiology or Sonography Section :- (all relevant information on hospital letter head to be uploaded on web site) Radiologist chamber, X-ray room, Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes/No	Adequate
IX. Labor Room :- Average Deliveries conducted annually/Monthly/Daily as per Birth record maintained by hospital - (information to be available on web site)	Yes/No	Adequate

BASIC DETAILS ABOUT INFRASTRUCTURE CHECK LIST

PARTICULAR TO BE VERIFY BY ASSESSOR	YES/NO	Remark
Certified Copy of Location Of College Building Address by Government authority (Search Report) to be uploaded at website	yes	
Certified Copy of Location Of Hostel Building Addressed by Government authority (Search Report) to be uploaded on website	yes	
Is Separate College Building Not Available { Attach resolution of Trust /owner for Area Allocation } to be uploaded on website	yes	
Is Separate Hostel Building Available { Attach resolution of Trust /owner for Area Allocation } to be uploaded at website	yes	
Authorized Building Plan approved by Competent Authority to be uploaded at website	yes	
Availability of Building Completion (College / Hostel) Certificate by Competent Authority to be uploaded at website	yes	
Lease or Rent Agreement of College if Required to be uploaded at website	yes	
Provision Of Fire Safety Measure as per standard norms of Government	yes	
Fire Safety Certificate for College , Hostel And Hospital to be uploaded at website	yes	
General Student Safety Measures done in Building as per norms	yes	
Provision for facility Physically Challenged Students		
OTHER INFRASTRUCTURAL PROVISIONS	YES/NO	REMARK
Playground (Playground should be spacious for outdoor sports like volleyball, football, badminton and for athletics)	yes	
Provision for Physical Teacher for Student in College And Hostel	yes	
Garage (Garage should accommodate a 50 seated vehicle)	yes	
Gymnasium Facility to be uploaded on website	yes	

Any Other Remarks (Please Specify) :-

Here by I declare all relevant document uploaded are clear and visible on web site are true as per my best knowledge:-

Date:- 19/01/2026

Chairman of LIC

Member Of LIC

Somnath
PRINCIPAL
Dean/ Principal, Somnath
College, Udghr, Dist. Latur
Member Of LIC

GOLDEN HOMES

Reg No CA/86/9917(New Delhi)

Architect and Interior Designer
"Kalaship"
Adarsh Society, Jalkot Road,
Udgir, Dist. Latur

Subhash R wattamwar
Architect
Mob.9422468171

Completion Certificate

It Is Certify That

The building construction of "Aadarsh Bahuddeshiy Seva Bhavi
Sanstha Loni"

Oprated By Late.Ramrao Patil B.Sc Nursing College Udgir,

Tq-Udgir,Dt-Latur, Maharashtra State has been complited.This
Building Is in Good Conditon.

This Building Total Builtup Area is 4391 Sq/Meter

Hence This Certificate Given True



Subhash
Subhash R. Wattamwar
Architect

GOLDEN, HOMES

Reg No. CA/86/9917 (New Delhi)

Architect and Interior Designer
"Kalashilp"
Adersh Society, Jalkot Road,
Udgir, Dist. Latur

Subhash R wattamwar
Architect
Mob. 9422468171


Architect Building Certificate

Architect Certified that

1. Late. Ramrao Patil B.Sc Nursing College Location Is Shreeram Building, Nanded Road, Udgir
Tq-Udgir, Dt-Latur, Maharashtra
2. Late. Ramrao Patil B.Sc Nursing College Total Builtup Area Is
4391.12 Sq/Meter
3. Late. Ramrao Patil B.Sc Nursing College, Land Owned By "Aadarsh Bahuddeshiy Seva Bhavi Sanstha Loni" Tq-Udgir, Dt-Latur, Maharashtra



Subhash R. Wattamwar
Subhash R. Wattamwar
Architect



Scale: 1/4" = 1'-0"

ARCHITECTURAL FLOOR PLAN
 PROJECT: [illegible]
 DATE: [illegible]
 DRAWN BY: [illegible]

MUNSON
 ARCHITECTS
 1234 Main St.
 City, State, Zip



गाव नमुना सात (अधिकार अभिलेख पत्रक)

[महाराष्ट्र गाव नमुना अधिकाय अभिलेख सात नोंदवहा (सात वरचे व सुविधीय वेळी, दिना १९७१ सालीच दिना ३,२,६ आणि ७]

गाव - कुकनकवाडी (५६१००६)

तालुका - उदगीर

जिल्हा - सातूर



सं.३ - १३१०००६०९

समापन क्रमांक व तारिखा ४९/२

१३१०००६०९

सुधारण/ यद्दती भोगवटदार सर्ग -५

शेताने स्थानीक नाव : सडकेने

शेज, एकक व आकारणी	खती क्र.	भोगवटदाराचे नाव	शेज	आकार	पौ.ख.	फेरफार क्र.	कुल, खंड व इतर अधिकार
शेजारी एकक शे.आर.ची.बी	१०६	[भुजिलकुमार भावुराव साधनसाधु] [सोकरराव भावुराव सुनीकर]	०.२०.८२	०.२६		(११०८)	कुलाने नाव व खंड
क) लागवट योग्य शेज		सामाईक शेज	०.००.००	०			इतर अधिकार
किरायात ५,६७.००							इतर
बागावट -	४०६	[बाळाजी रामराव घाटील]				(८९२)	(१३९)
एकूण		[साधु रामराव घाटील]				(८९२)	नौजा
ला.शे.शेज ५,६७.००		[संदू रामराव घाटील]				(८९२)	प्रमाणे नार्गेड अंकरण्या बिरादार यानी युनियन बँक खा ॉक इंडिया साखा उदगीर यांच्या कडून रकम
क) पोटखराब शेज (लागवट असोय)		सामाईक शेज	०.००.००	०			रुपये ७०००००.०० कर्ज घेवून गहाणखत करून दिले. (८२९)
सर्ग (क) -	४१७	रमाकांत योविद बिरादार	०.४०.००	०.४९		(३००)	
सर्ग (ख) -	४१८	[भिमराव भावुराव बिरादार] अपेक्षा भिमराव बिरादार अरुणा भिमराव बिरादार	१.१३.४६	१.४०		(७३६)	प्रलंबित फेरफार : नाही.
एकूण		सामाईक शेज	०.५५.०६	०.६८		(१६१४)	शेवटचा फेरफार क्रमांक : १६१४ व दिनांक : २०/११/२०२५
पौ.ख.शेज ०.००.००							
एकूण शेज (अ+ब)	४३५	समपती पंढरी चोले	०.२९.००	०.३६		(४९०)	
आकारणी ७.००	४३६	सातेराव पंढरी चोले	०.२९.००	०.३६		(४९०)	
मुडी किंवा विशेष आकारणी	४४१	दयानंद रामराव चोले	०.६१.००	०.७५		(७५५)	
	४४२	दामोदर रामराव चोले	०.६२.००	०.७७		(७५५)	
	८०२	[शिवाजी दिगंबर चोले]				(६६७)	
	८०३	[मुजिलकुमार पिता विठ्ठलराव चापुले]				(८१०)	
	८८९	कविता नंदकुमार शेठे	०.००.९७	०.०१		(५९२)	
	८९६	[सोनी प्रल्लिकार्जुन रेड्डी]				(८४७)	
	९१८	राजकुमार काशिनाथ समणे	०.०१.४२	०.०२		(६९६)	



हा गाव नमुना क्रमांक ७ दिनांक २०/११/२०२५ ०८:३४:३२ AM रोजी डिजिटल स्वाक्षरीत कोला आहे व गाव नमुना क्रमांक १२ चा डेटा स्वयंप्रमाणित असल्यामुळे ७/१२ अभिलेखावर वर कोणत्याही साही शिकव्याची आवश्यकता नाही.

सुचना : सदर ७/१२ डिजिटल स्वाक्षरीत झाल्यानंतर घेण्यात आलेल्या प्रलंबित फेरफार क्र.१६३७ ची सद्यस्थिती <http://mahabhumi.gov.in/aaaplchawd> या संकेत स्थळावर पहावी.

७/१२ डाउनलोड दि. : १२-०१-२०२६ : १३:२१:५९ PM. वैधता पडताळणीसाठी <https://digitalsatbara.mahabhumi.gov.in/dsk/> या संकेत स्थळावर जाऊन 2810100001162102 हा क्रमांक वापरावा.

१२११	अफिचोहीन अजीमोहीन शेख	०.०१.३०	०.०२	(१४९)
१२१२	[कुंदा रमेशराव शंभुलखार]			(१३१६)
१२१३	[सुभाकरराव लक्ष्मणराव पल्लीवार]			(१२५०)
१२१४	बाबालता प्रभाकर कोटलवार	०.०१.३०	०.०२	(१६७)
१२१५	पुष्पा सतीशराव एकडे	०.०१.३९	०.०२	(१७२)
१२१६	कमय भिमराजकर पारसेवार	०.०४.२३	०.०५	(१८६)
१२१७	विद्याभुषण मनोहरराव कांबळे	०.०१.४९	०.०२	(१९२)
१२८३	निलेश विष्णुपंत वाघमारे	०.०२.६०	०.०३	(१०२३)
१२८४	सुमनबाई विष्णु वाघमारे	०.०२.६०	०.०३	(१०२४)
१३०३	[मनोहर मोकर बिरादार]			(१३२२)
१३०४	शितल बस्वराज एकलिंगे	०.०१.२५	०.०२	(१०५०)
१३२६	संतोष विश्वनाथ रोष्टे	०.०१.३०	०.०२	(१०७६)
१३३२	प्रिया बिरबल नाईक	०.०१.७३	०.०२	(१०८९)
१३४२	[राजेश्री अनिल सुर्यवंगी]			(१११०)
१३४९	सुरज प्रकाश काळे			(१११०)
	उदय प्रकाश काळे			(१११०)
	संदीप प्रकाश काळे			(१११०)
	—सामाईक क्षेत्र—	०.०२.६०	०.०३	
१४०२	मिरा भुषण बुलबुले	०.०१.९०	०.०२	(११६९)
१४०७	[संगीता राजकुमार राजुरे]			(१३४९)
१४२२	[मालाजी देवराज कट्टेवार]			(१२८४)
१४२५	प्रेमला मल्लीकार्जुन कौडगावे	०.०१.३०	०.०२	(११८९)
१४२६	मल्लीकार्जुन विरवोष्टी कौडगावे	०.०१.३०	०.०२	(११९०)



हा गाव नमूना क्रमांक ७ दिनांक २०/११/२०२५ ०८:३४:३२ AM रोजी डिजिटल स्वाक्षरीत केला आहे व गाव नमूना क्रमांक १२ या डेटा स्वयंप्रमाणित असल्यामुळे ७/१२ अनिलेखावर वर कोणत्याही सही शिक्क्याची आवश्यकता नाही.
सुचना : सदर ७/१२ डिजिटल स्वाक्षरीत झाल्यानंतर घेण्यात आलेल्या प्रलंबित फेरफार क्र.१६३७ ची सद्यस्थिती <http://mahabhumi.gov.in/api/chead> या संकेत स्थळावर पहावी.
७/१२ डाउनलोड दि. : १२-०१-२०२६ : १३:२९:५९ PM. वैधता पडताळणीसाठी <https://digitalsatbara.mahabhumi.gov.in/dsr/> या संकेत स्थळावर जाऊन 2818104001162182 हा क्रमांक वापरावा.

पृष्ठ क्र. ४/८

१५५०	महिसाव इन्डुस्त्रियल पार्क	०.०१.३०	०.०२	(१२०४)
१५५३	सावना समीरोदिन डोक	०.०२.०८	०.०३	(१२०७)
१५५८	[शिवांगु काकोळ संभाडे]			(१५१६)
१५७०	[प्रकाश भोगाया कुलारी]			(१३१२)
	[अश्विनी शिवराज व्याजळे]			(१३१२)
	सामाईक क्षेत्र	०.००.००	०	
१५५३	इशमंत शरणाया कोराळे	०.०१.६३	०.०२	(१३०५)
१५५४	महादेव शरणाया कोराळे	०.०१.६३	०.०२	(१३०६)
१५५३	दिनेश नारायण शिवरे			(१३१२)
	अनिकेत समाकांत मोतीपवळे			(१३१२)
	सामाईक क्षेत्र	०.०१.५४	०.०२	
१५५५	समीरोदिन अजिरोदिन डोक	०.०१.३९	०.०२	(१३१६)
१५५७	महानंदा सुभाष करले	०.०१.३०	०.०२	(१३१८)
१५६१	माधव मोतीराम केंद्रे			(१३२२)
	सुधीव हानु पवार			(१३२२)
	सामाईक क्षेत्र	०.०१.३०	०.०२	
१५६३	कल्ल्या आणेप्या मुचळंबे	०.०१.३०	०.०२	(१३२५)
१५६४	महादेव तुकाराम बिरादार	०.०१.३०	०.०२	(१३२६)
१५८२	मुक्ता साब मैनुडीन	०.०१.६३	०.०२	(१३४१)
१६३२	प्रेमला मल्लिकार्जुन कवडगावे	०.०१.६३	०.०२	(१३८६)
१६५६	सी केवळबाई राजेंद्र चव्हाण	०.०२.६५	०.०३	(१४१५)
१६६२	प्रल्हाद मिसराव अक्कनगीरे	०.०१.३०	०.०२	(१४२७)
१६६४	व्यंकट शिवराज मतकष्टे	०.०१.३०	०.०२	(१४२९)
१६६५	बरवराज संगया शुप्या	०.०१.३०	०.०२	(१४३०)
१६७९	विश्वनाथ माधवराव शिकमुरगे	०.०१.३०	०.०२	(१४४३)



हा गाव नमुना क्रमांक ७ दिनांक २०/११/२०२५, ०८.३४.३२ AM रोजी डिजिटल स्वाक्षरीत केला आहे व गाव नमुना क्रमांक १२ चा डेटा स्वयंप्रमाणित असल्यामुळे ७/१२ अमिलेखावर वर कोणत्याही राही शिक्क्याची आवश्यकता नाही.
सुचना : सदर ७/१२ डिजिटल स्वाक्षरीत झाल्यानंतर घेण्यात आलेल्या प्रलंबित फेरफार क्र.१६३७ ची सद्यस्थिती <http://mahabhumi.gov.in/aaplichawdi> या संकेत स्थळावर पहावी.
७/१२ डाउनलोड दि. : १२-०१-२०२६ : १३:२१:५९ PM. वैधता पडताळणीसाठी <https://digitalsatbara.mahabhumi.gov.in/dsr/> या संकेत स्थळावर जाऊन 2810100001162102 हा क्रमांक टापावा.

पृष्ठ क्र. ४/८

गाव नमुना बारा (विक्रीची नोंदवही)
[महाराष्ट्र शासक महसूल अधिकार अधिकृत आणि वीजपट्टा (व्यापार करणे व सुविधित्वित ठेवणे) विभाग ११७१ गाविल विभाग २१]

पत्रांक - ६६६६६६६ (५६६६६६)

तालुका - उदपीर

जिल्हा - सातारा

सुवाचन क्रमांक ६ उपविभाग ६६/३

क्र.सं.	सं.सं.	खाले क्रमांक	विकासातील क्षेत्राचा तपशील					सागवडीसाठी उपलब्ध नसलेली जमीन		शेरा	
			विकासा प्रकार	विकासाचे जाग	जल सिंचित	जल सिंचित	जल सिंचनाचे साधन	स्वरूप	क्षेत्र		
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)	(११)	
					हे.आर. चौ.मी	हे.आर. चौ.मी			हे.आर. चौ.मी		
२०२३-२४	खरीप	६३५*	निर्मळ	सोयाबीन			०.२५००				
		६४५*	निर्मळ	सोयाबीन			०.६०००				
		६४२*	निर्मळ	सोयाबीन			०.६०००				
२०२४-२५	खरीप	९०९९*						चालू पड	०.०२५१		
		९०९८*						चालू पड	०.२४४२		
		९०८३*						चालू पड	०.०२६८		
		९०८४*						बगीचा पड	०.०१२५		
		९०८५*						चालू पड	०.०१२५		
		९०८६*						चालू पड	०.०१३०		
		९०८९*						चालू पड	०.०२६१		
		९१००*	निर्मळ	सोयाबीन			०.२१००				
		९१११*							चालू पड	०.०१३०	
		९११९*							चालू पड	०.०३८६	
		९१५८*							चालू पड	०.०२६०	
		९१६८*	निर्मळ	सोयाबीन			०.३५००				
		९१६९*	निर्मळ	सोयाबीन			०.५०००				
		९१७०*	निर्मळ	सोयाबीन			०.५०००				
		९२१५*							चालू पड	०.०२२४	
		९२१९*							चालू पड	०.०१३०	
		९२४४*							चालू पड	०.०१३०	
		९२४६*							चालू पड	०.०१३९	
		९२५९*							चालू पड	०.०४२३	
		९२६२*							चालू पड	०.०१४९	
९२८३*							चालू पड	०.०२६०			
९२८४*							चालू पड	०.०२६०			
९३०४*							चालू पड	०.०१२५			



हा गाव नमुना क्रमांक ७ दिनांक २०/११/२०२५ ०८:३४:३२ AM रोजी डिजिटल स्वाक्षरीत केला आहे व गाव नमुना क्रमांक १२ चा डेटा स्वयंप्रमाणित असल्यामुळे ७/१२ अमिलेखावर वर कोणत्याही सही शिक्क्याची आवश्यकता नाही.
 सुचना : सदर ७/१२ डिजिटल स्वाक्षरीत आल्यानंतर घेण्यात आलेल्या प्रलंबित फेरफार क्र.१६३७ ची सद्यस्थिती <http://mahabhumi.gov.in/aplichaud> या संकेत स्थळावर पहावी.
 ७/१२ डाउनलोड दि. : १२-०१-२०२६ : १३:२१:५९ PM. वैधता पडताळणीसाठी <https://digitalsatara.mahabhumi.gov.in/dar/> या संकेत स्थळावर जाऊन 28181800001162182 हा क्रमांक वापरावा.

पृष्ठ क्र. ६/८

१३२१*					चालू पड	०.०१३०	
१३३२*					चालू पड	०.०१३३	
१३४१*					चालू पड	०.०२६०	
१३०२*					चालू पड	०.०१९०	
१४२५*					चालू पड	०.०१३०	
१४२६*					चालू पड	०.०१३०	
१४४४*					चालू पड	०.०१३०	
१४९३*					चालू पड	०.०२७८	
१५०८*					चालू पड	०.०१३२	
१५४३*					चालू पड	०.०१६३	
१५४४*					चालू पड	०.०१६३	
१५५३*					चालू पड	०.०१४४	
१५५५*					चालू पड	०.०१३९	
१५५४*					चालू पड	०.०१३०	
१५६९*					चालू पड	०.०१३०	
१५६३*					चालू पड	०.०१३०	
१५६४*					चालू पड	०.०१३०	
१५८२*					चालू पड	०.०१६३	
१६३२*					चालू पड	०.०१६३	
१६५६*					चालू पड	०.०२६५	
१६६२*					चालू पड	०.०१३०	
१६६४*					चालू पड	०.०१३०	
१६६५*					चालू पड	०.०१३०	
४९७*	निर्मळ	सोयाबीन	०.४०००				
४९८*	निर्मळ	सोयाबीन	०.६२११				
७३५*	निर्मळ	तुर	०.२९००				
७३६*	निर्मळ	तुर	०.२९००				
७४९*	मिश्र	तुर	०.१५००				
	मिश्र	सोयाबीन	०.४५००				
७४२*	मिश्र	तुर	०.२०००				
	मिश्र	सोयाबीन	०.४०००				



हा गाव नमुना क्रमांक ७ दिनांक २०/११/२०२५ ०८:३४:३२ AM रोजी डिजिटल स्वाक्षरीत केला आहे व गाव नमुना क्रमांक १२ चा डेटा स्वयंप्रमाणित असल्यामुळे ७/१२ अमिलेखावर वर कोणत्याही राही शिकव्याची आवश्यकता नाही.
 सुचना : सदर ७/१२ डिजिटल स्वाक्षरीत झाल्यानंतर घेण्यात आलेल्या प्रलंबित फेरफार क्र.१६३७ ची सद्यस्थिती <http://mahabhumi.gov.in/aapichawd> या संकेत स्थळावर पहावी.
 ७/१२ डाउनलोड दि. : १२-०१-२०२६ : १३:२९:५९ PM. वैधता पडताळणीसाठी <https://digitalsatara.mahabhumi.gov.in/dsr/> या संकेत स्थळावर जाऊन 2810100001162102 हा क्रमांक वापरावा.



महाराष्ट्र MAHARASHTRA

2019

VG 431059

उपकरण - २

करारनामा ०४

दिलीप गोविंद पेम्सलवार
मुद्रांक विभाग, उदगीर
तहसील कार्यालयाच्या आवाऱ्यात
परधान क्र. 3707001

उप कोषागार कार्यालय, उदगीर
मुद्रांक पुरवठा
दिनांक

23 NOV 2020

बालाजी रामराव पाटील व लोणी

मुद्रांक क्र. 100 मुद्रांक क्र. 11882 दिनांक 15/12/20 करारनामा

उप कोषागार अधिकारी, उदगीर

लिहून देणार - श्री. बालाजी रामराव पाटील

वय : 57 वर्ष, रा. : लोणी, ता. उदगीर

लिहून घेणार - श्री. माधव रामराव पाटील

वय : 55 वर्ष, रा. लोणी, ता. उदगीर

अध्यक्ष :- आदर्श बहुदेशीय सेवाभावी संस्था लोणी ता. उदगीर, जि. लातूर

कारणे - करारनामा करतो की,

मी श्री. बालाजी रामराव पाटील वय : 57 वर्ष, रा. : लोणी, ता. उदगीर येथील रहिवासी


असून माझी मीजे मलकापुर येथील सर्वे 20/03 मधील प्लॉट नंबर 05 वरील चार मजली

इमारतीतील सर्व फ्लॉट 'आदर्श बहुदेशीय सेवाभावी संस्था लोणी, ता. उदगीर, जि.

स्नातूर' द्वारा संचालित "के. रामराव पाटील बी.एससी. नर्सिंग कॉलेज उदगीर ता. उदगीर जि. स्नातूर" या महाविद्यालयात शिक्षण घेणाऱ्या विद्यार्थ्यांच्या राहण्याच्या सोयी करिता मुले व मुलींच्या वसतिगृहाच्या वापरासाठी नर्सिंग महाविद्यालयास विनामूल्य 30 वर्षासाठी देत आहे.

यासाठी संस्थेकडून अथवा या नर्सिंग महाविद्यालयाकडून कसल्याही प्रकारचे भाडे किंवा मूल्ये घेतले जाणार नाही. असे ठरले आहे.


सदरील करारनामा हा कसल्याही प्रकारचा नशा पाणी न घेता राजीखुशीने करित आहे आणि हा बरोबर आहे



लिहून देणार -

श्री. बालाजी रामराव पाटील

वय : 57, रा. लोणी, ता. उदगीर



लिहून देणार -

श्री. माधव रामराव पाटील

अध्यक्ष :- आदर्श बहूद्देशीय सेवाभावी संस्था

लोणी ता. उदगीर, जि. लातूर

वय : 55 वर्ष, रा. लोणी, ता. उदगीर

4th Floor


3rd Floor

2nd Floor

1st Floor

Basement

Basement



FLOOR PLAN

PROJECT: [illegible]
OWNER: [illegible]
DATE: [illegible]

OWNER: [illegible]

DESIGNER: [illegible]
DATE: [illegible]

PROJECT: [illegible]
OWNER: [illegible]

PROJECT: [illegible]

DESIGNER: [illegible]

OWNER: [illegible]

PROJECT: [illegible]



