

Maharashtra University of Health Sciences, Nashik  
Inspection Committee Report for Academic Year 2026-2027

Clinical Material in Hospital

Name of College/Institute... Late Ramrao Patil B.Sc Nursing College  
Faculty... Nursing.. Udgir.


HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) <b>To be made available on web site</b>	Parent Hospital 70+30 = 100	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: <b>Copy to be made available on web site</b>	yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual .....	yes	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) .....	80%	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	yes	yes
<ul style="list-style-type: none"> <li>As per Central Council Norms/ University Norms, above Infrastructure must be available at College.</li> <li>If Infrastructure is available, then mark "Adequate" &amp; do not attach any Documents it should be available on college website</li> <li>In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report</li> </ul>			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief  
Any Other, Please Specify:-

\_\_\_\_\_

Date:- 19/01/2026

  
Principal  
Late Ramrao Patil B.Sc.Nursing  
College Udgir Dist Latur-413517  
Dean/Principal Stamp & Signature

Chairman of LIC

Member Of LIC

Member Of LIC

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

रु. 100



सत्यमेव जयते

ONE HUNDRED RUPEES


भारत INDIA  
INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

क्रमांक 353 दिनांक 01/10/2014

मूल्य रु. 100 चे पुरवणे

देवीसंस्थानां




LA 910171

16 SEP 2014

*Handwritten signature*  
मी. मिहकरी महेश...  
युवांक, दिवंगत, लतुरा  
(परवाना क्र. 3500093)

साक्षात् अडुउददेशिय से सश्या (११०१) ये  
सध्या माधय बाहाल पदोव २१.११०१



**AFFILIATION LETTER**

Sub: Undertaking Parent Hospital.

We Dr. M.V Chambule and Dr. S.S. Balshettwar age 45 years, 48 years and we are residing at shellar road, Udgir Dist- Latur respectively,

PRINCIPAL  
Late. Ramrao Patil B.Sc.Nursing  
College, Udgir, Dist. Latur

Notary Affidavit (Article-4)  
 बालिस्ता  
 उदायगिरी  
 मल्लिक मल्लिक अस्पताल, पाली  
 काशी (मध्य)  
 दि. 01/11/2014  
 श्री निदेशक, नर्सिंग विभाग  
 मुंबई (परवाना क्र. 230001)




*ADP*

We are being a Joint Secretary and Member of the ADARSHA BAHUUDDESHIYA SEVABHAVI SANSTHA LONI, Here by we are declaring that **UDAYAGIRI MULTY SPECIALITY HOSPITAL** is affiliated as a parent hospital of the Adarsh Bahuuddeshiya Sevabhavi Sanstha Loni, This hospital is running under this society.

Here by we are declaring that this hospital is not affiliated any other Society or any other Nursing institution.

*Chambule*  
 Dr.M.V.Chambule

*Balashettwar*  
 Dr.S.S.Balashettawar



**BEFORE ME**  
*[Signature]*  
**C.P. LANJILE**  
 Advocate  
 Notary Public, UDGI

**NOTED / REGISTERED**  
 SE. NO. 02/11/14



# उदयगिरी मल्टीस्पेशलिटी व अॅक्सिडेंट हॉस्पिटल

शेल्हाळ रोड, उदगीर जि. लातूर ☎ : (02385) 252110

Date: ०५ / ०१ / 202६

To  
AdarshBahuuddeshiyaSevabhaviSanstha,  
LoniSanchalit Late RamraoPatilBsc Nursing College,  
Udgir

Subject: - Regarding Affiliation of Bsc Nursing Student  
for Hospital Posting

Respected Sir/Madam,

With the above reference I would like to bring to your kind information that Adarsh Bahuddeshiya Sevabhavi Sanstha Loni Sanchalit Late RamraoPatilBsc Nursing College, UdgirTq. Udgir Dist. Latur, Here I am permitting the students of above mentioned college students for clinical posting in our Hospital.

PRINCIPAL

Late. Ramrao Patil B. Sc. Nursing  
College, Udgir, Dist. Latur

उदयगिरी मल्टीस्पेशलिटी &  
अॅक्सिडेंट हॉस्पिटल  
शेल्हाळ रोड, उदगीर  
Ph No 02385.252110

पुढील तपासणी तारीख :

त्रास होत असल्यास ताबडतोब दाखवणे.

डॉ. रमन रेड्डी  
M.D. (Med.)

डॉ. नारायण सुखसे  
M.D. (Med.)

डॉ. माधव चंबुले  
M.S., F.M.A.S., F.A.I.S. (Surgery)

डॉ. श्रीनिवास बलशेटवार  
F.C.P.S., D'Ortho (अधिकृत कर)

डॉ. सौ. रेखा रेड्डी  
MBBS, DMRE



# उदयगिरी मल्टिस्पेशलिटी व अॅक्सिडेंट हॉस्पिटल

शेल्हाळ रोड, उदगीर जि. लातूर ☎ : (02385) 252110

Date: 05/01/2026

To,  
The President,  
Adarsh Bahuuddeeshiya Sevabhavi Sanstha, Loni

**Subject :- Permission Granted for Clinical Posting.**

Respected Sir,


With Reference to the above mentioned subject students of Late Ramrao Patil B.Sc. Nursing College Udgir, Tq. Udgir Dist Latur Institute of Adarsh Bahuuddeeshiya Sevabhavi Sanstha, Loni are posted to Udaygiri Multi-Specialty and Accident Hospital Udgir Private to gain Clinical Experience.

The director of Udaygiri Multi-Specialty and Accident Hospital Udgir, Raman Vyankatrao Reddi is a Member of Adarsh Bahuuddeeshiya Sevabhavi Sanstha, Loni.

The N.O.C. of the Udaygiri Multi-Specialty and Accident Hospital Udgir is not given to any B.Sc. Nursing College of Udgir. The N.O.C. is only given for our Late Ramrao Patil B.Sc. Nursing College Udgir.

Permission has been granted for clinical experience for Late Ramrao Patil B.Sc. Nursing College Students.

Thanking You,



**Udaygiri Multispecialty  
& Accident Hospital  
Shelhall Road, UDGIR**

**PRINCIPAL**  
Late. Ramrao Patil B.Sc. Nursing  
College, Udgir Dist. Latur

पुढील तपासणी तारीख :

त्रास होत असल्यास ताबडतोब दाखवणे.

डॉ. रमन रेड्डी  
M.D.(Med.)

डॉ. नारायण सुखसे  
M.D.(Med.)

डॉ. माधव चंबुले  
M.S., F.M.A.S., F.A.I.S. (Surgery)


डॉ. श्रीनिवास बलशेटवार  
F.C.P.S., D'Ortho (अधिकार रा)

डॉ. सौ. रेखा रेड्डी  
MBBS, DMRE

# अत्तार हॉस्पिटल

मान मस्जीद जवळ, शाहु चौक, बिदर रोड, उदगीर फोन नं. : 02385-254551

डॉ. जावेद र. अत्तार



डॉ. मुसर्त जा. अत्तार



M.B.B.S., D.P.M., (मुंबई) F.I.P.S.

मानसिक आजार, मेंदुचे आजार, मेंदुचे विकार, फेकणे (फिट्स),  
उदात्तित्वा, निद्रानास, मॅनिक विकार, वृध्दापकाळातील स्मरणशक्ती  
व्यक्ती, मतिमंदत्व, मुलांचा बौद्धिक विकास उपचार, धावरटपणा  
बिंताचंण, विद्युत उपचार (ECT), मानसिक ताप तनाव, मेंदु आलेख (EEG)

M.B.B.S., D.G.O., D.F.P. (मुंबई)

दिवरोन व प्रसुतीतज्ञ, सुसज्ज प्रसुती विभाग, संपूर्ण स्त्रियोग चिकित्सा  
सोनोग्राफी, बिनाटांब्याचे व टांब्याचे गर्भाशय काढण्याची शस्त्रक्रिया  
अनियमित मासिक पाळी व मासिक पाळी नंतरच्या चिकित्सा व उपचार

पेटचे नाव :

दि. : 09/04/2025

वय : वजन : B.P. / mm.Hg.

To,

Adarsh Bahuuddeshiy Sevabhavi Sanstha,  
Loni Sanchlit Late. Ramrao Patil B.Sc Nursing College,  
Udgir.

**Subject: Regarding affiliation of B.Sc Nursing Student for  
Hospital Posting.**

Respected Sir/Madam,

With the above reference I would like to bring your kind  
information that Adarsh Bahuuddeshiy Sevabhavi Sanstha Loni Sanchlit  
Late. Ramrao Patil B.Sc Nursing College, Udgir. Tq.Udgir Dist. Latur, here I  
am permitting the above mentioned college students for clinical posting in  
our Hospital.

२४ तास अत्यावश्यक सेवा

प्रत्येक वेळी येताना हा कागद सोबत आणावा.

*[Signature]*

DR. J. B. ATAR  
MBBS DPM FIPS (Mumbai)  
Consultant Psychiatrist  
Reg. No. 11111

वेळ स. ११ ते ३ व सायं. ५ ते ७

मस्ताना सुचना - चालु असलेल्या तारखेच्या प्रिस्कीपशन दिवाय औषध देवू नये. चविवाही ओ.पी.डी. बंद राहिल.

१) सतत दुसऱ्यावर संशय घेणे. २) कानामध्ये वेगवेगळे भास होणे. ३) स्वताःशी बोलत राहणे. ४) एकाच ठिकाणी टक लावून पाहणे. ५) कारण नसताना हसणे.  
६) विषय सोडून बोलत राहणे. ७) कंधारा गोळा करणे. ८) सतत कारण नसतानाही क्रोधित होणे. ९) सरीराची हालचाल एकरूप कमी होणे.




MAHARASHTRA

2024


41AB 572865

3151 25/3/25  
1001- 100



रामराव पाटील B.S.C. नर्सिंग कॉलेज  
ता. उदगीर  
जावेद आलम ता. उदगीर  
(MOU)

दि. 09/04/2025



प्रति,  
आदर्श बहुउद्देशीय सेवाभावी संस्था द्वारा संचलित  
के. रामराव पाटील बी.एस्सी. नर्सिंग कॉलेज, उदगीर.

विषय : अत्तर रुग्णालयात प्रात्यक्षिक करण्यासाठी परवानगी देण्यात येत आहे.

महोदय,  
वरील विषयानुसार कळविण्यात येते की, आदर्श बहुउद्देशीय सेवाभावी संस्था लोणी द्वारा संचलित के. रामराव पाटील बी.एस्सी. नर्सिंग कॉलेज उदगीर ता. उदगीर जि. लातूर येथील विद्यार्थ्यांना आमच्या अत्तर Psychiatric रुग्णालयात प्रात्यक्षिक कार्य करण्यासाठी परवानगी देण्यात येत आहे. अशी हमी देण्यात येत आहे.

BEFORE ME

Adv. V.B. Tiwari  
Adv. & Notary Govt. of India  
Udgir Dist. Latur

अत्तर रुग्णालय

IDENTIFIED BY  
ID Produced

1- 9 APR 2025



आरोग्य विभाग, जिल्हा परिषद, लातूर



Email ID :- dho@latur@rediffmail.com

Landline No. (02382) 242806

Fax No. (02382) 240240

Dispatch no. /ZP/Health/Section 125

Health Dept. Z P Latur


Date: 21/01/2025

To


Adarsh Bahuddeshiya Sevabhavi Sanstha,  
Loni Sanchalit Late Ramrao Patil Bsc Nursing College,  
Udgir

Subject: - Regarding Permission to Bsc Nursing Student for PHC Posting

With the above reference I would like to bring to your kind information that if Adarsh Bahuddeshiya Sevabhavi Sanstha Loni Sanchalit Late Ramrao Patil Bsc Nursing College, Udgir Tq. Udgir Dist. Latur, fulfils the requirement mentioned in letter no. DHS/regulation/TRG/2000/D8 DHS Mumbai Dated 19/7/2000, We will permit the students of above mentioned college for clinical posting in our Primary Health Centers. This BSc Nursing College is -  
affiliated to Primary Health Center, Her

  
District Health Officer  
Zilla Parishad, Latur

Principal  
Late Ramrao Patil B.Sc. Nursing  
College Udgir Dist. Latur-413517

  
Principal  
Late Ramrao Patil B.Sc. Nursing  
College, Udgir Dist. Latur

कार्यालय, वैद्यकीय अधीक्षक, उपजिल्हा रुग्णालय उदगीर

दुरध्वनी नं. ०२३०५ : २५२२२८ पिनकोड :

email : udgir131@gmail.com

आरोग्य सेवा

आ.क्र.उजि.रु.उ/आस्था/६००/१३

दिनांक : 28/01/2025

प्रति,


या जिल्हा शास्य विहितनाम,  
लातूर

विषय :- आदर्श बहुउद्देशीय सेवाभावी संस्था लोधी ता.उदगीर बीएससी नर्सिंग  
विद्यार्थ्यांना उपजिल्हा रुग्णालय उदगीर येथे प्रात्यक्षिकासाठी परवानगी मिळणे  
बाबत....

संदर्भ :- आदर्श बहुउद्देशीय सेवाभावी संस्था लोधी ता.उदगीर बीएससी नर्सिंग उदगीर  
यांचे पत्र दिनांक.

उपरोक्त विषयानुसार आदर्श बहुउद्देशीय सेवाभावी संस्था लोधी ता.उदगीर बीएससी नर्सिंग स्कूल  
लोधी ता.उदगीर यांनी विद्यार्थ्यांना प्रात्यक्षिक अनुभवासाठी परवानगी मिळणे बाबत या कार्यालयास  
विनंती अर्ज सादर केलेले आहे.

सदर परवानगीसाठी या कार्यालयानून त्रिफारस करण्यात येत आहे.

  
वैद्यकीय अधीक्षक

उपजिल्हा रुग्णालय उदगीर

Principal  
Late.Ramrao Patil B.Sc.Nursing  
College Udgir Dist.Latur-413517

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 022- 24020781  
Fax: 022 - 24020781  
Website: <http://mpcb.gov.in>  
Email:  
romumbai@mpcb.gov.in



Kalpataru Point, 3rd and 4th floor  
Road No. 8, Sion Cir, opp.PVR  
Theater, Mumbai, Maharashtra  
400022

RED/S.S.I

No:- Format1.0/RO/UAN No.0000144439/CO/2305001510

Date: 21/05/2023

To,  
Udayagiri Multi Specility Hospital  
Shellai Road Udgir, tal. Udgir,  
Dist. Latur



Your Service is Our  
Duty

Consent to Operate

Ref: Your application for Combine Consent and Bio-Medical Authorization .

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st, operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. **This authorization shall be in force for a period upto 31-12-2026**
2. The capital investment of the HCF is **₹0.8879** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 603:00 M<sup>2</sup> with Built-up area 278.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **100 Nos**(As per BNH certificate no.
5. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 1 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act, 1981:-**

Principal  
Late.Ramrao Patil B.Sc.Nursing  
College Udgir Dist.Latur-413517

Page 1 of 11

1. You shall use the fuel for DG set and Boiler(s) as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set and Boiler(s) as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	NA

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

Principal  
Late.Ramrao Patil B.Sc.Nursing  
College Udgr Dist.Latur-413517

Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.

16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.



80ecd4016  
a6bd4df6  
1505286e  
15822fc4  
0c439958  
3e19ea7c  
1a0a0398  
e863a77e

Signed by: Dilip Kondiba Khedkar  
Regional Officer  
For and on behalf of  
Maharashtra Pollution Control Board  
roanrang@mahapcb.gov.in  
2023-05-21 05:40:07 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	25000.00	MPCB-DR-13367	10/08/2022	NEFT
2	12500.00	MPCB-DR-13368	10/08/2022	NEFT



Principal  
Late.Ramrao Patil B.Sc.Nursing  
College Udgir Dist.Latur-413517

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Latur  
- They are directed to ensure the compliance of the consent conditions
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



**Principal**  
**Late. Ramrao Patil B.Sc. Nursing**  
**College Udgir Dist. Latur-413517**

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)****A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

**B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-**

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	0.8	As per clause 'C'	sewerage line
2	Trade effluent	0	As per clause 'C'	

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Principal  
Late.Ramrao Patil B.Sc.Nursing  
College Udgir Dist.Latur-413517

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	N/A 0	N/A	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Principal  
Late.Ramrao Patil B.Sc.Nursing  
College Udgir Dist.Latur-413517

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste		Yellow coloured non-chlorinated plastic bags.	
		b) Animal Anatomical Waste			
		c) Soiled Waste			
		d) Expired or Discarded Medicines			
		e) Chemical Waste			
		f) Chemical Liquid Waste		Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.		Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste		Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)		Red coloured non chlorinated plastic bags or containers.	
3	White (Translucent)	Waste sharps including Metals		Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware		Puncture proof, Leak proof with Blue coloured marking.	
		b) Metallic body implants			

Principal  
 Late. Ramrao Patil B.Sc.Nursing  
 College Udgir Dist.Latur-413517

### Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Principal  
Late. Ramrao Patil B.Sc. Nursing  
College Udgir Dist. Latur-413517

## Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Rule	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	15,000.00
2	To maintain records of BMW material delivered to CBMWTSDf	Continuous	10,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
<b>Total</b>			<b>1,00,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**

Principal  
Late. Ramrao Patil B.Sc. Nursing  
College Udgir Dist. Latur-413517

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.

Principal

Page 10 of 11

Late. Ramrao Patil B.Sc. Nursing  
College Udgir Dist. Latur-413517

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.



Principal  
Late. Ramrao Patil B.Sc. Nursing  
College Udgir Dist. Latur-413517.